



ClientFuturistic Science LLC

Analyzed08/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	AHK-Cu	Form	Lyophilzied
Batch	FS-AHK-100-0926	Labeled Qty	100MG
Mol. Formula	C15H24ClCuN6O4	CAS Number	682809-81-0
Cap Color	Clear	Crimp Color	Copper
Appearance	Blue Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	AHK-Cu	AHK-Cu	✓
Batch Avg Purity (HPLC)	(>98%)	99.42	✓
Net Peptide Content	100MG ± 10%	104.78	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS


No data.

HPLC CHROMATOGRAM


HPLC CHROMATOGRAM · AHK-CU	DETECTOR: UV 214 NM · 08/18/2026



SAMPLE PHOTOS



AS RECEIVED



Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-684302
Access Code: SGX-FS-2026-0810-A97

