



Client

Futuristic Science LLC

Analyzed

08/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Adamax	Form	Lyophilized
Batch	FS-ADAX-5-0926	Labeled Qty	5MG
Mol. Formula	C50H69N11O11S	CAS Number	N/A
Cap Color	Blue	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	Adamax	Adamax	✓
Batch Avg Purity (HPLC)	(>98%)	99.69	✓
Net Peptide Content	5MG ± 10%	5.13	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS


No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · ADAMAX	DETECTOR: UV 214 NM · 08/18/2026



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-076727
Access Code: SGX-FS-2026-0810-V10

