



Client

Futuristic Science LLC

Analyzed

08/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	GLOW	Form	Lyophilized
Batch	FS-GLOW-70-0926	Labeled Qty	70MG
Mol. Formula	C14H24N6O4, C62H98N16O22, C38H68N10O14	CAS Number	49557-75-7,137525-51-0,885340-08-9
Cap Color	Red	Crimp Color	Silver
Appearance	Blue Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	GLOW	GLOW	✓
Batch Avg Purity (HPLC)	(>98%)	99.87	✓
Net Peptide Content	70MG ± 10%	51.46/10.47/10/.23 72.16	✓

HEAVY METAL SCREENING


No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM

HPLC CHROMATOGRAM · GLOW	DETECTOR: UV 214 NM · 08/18/2026



SAMPLE PHOTOS



Dr. R. Caldwell
ANALYST
ID: AN-3271

Dr. P. Andersen
QC REVIEWER
ID: QR-5418

Dr. H. Whitman
QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-400426
Access Code: SGX-FS-2026-0810-Z77

