



Client

Futuristic Science LLC

Analyzed

08/18/2026

This Certificate of Analysis certifies that the sample listed herein was tested by SteriGenix using validated analytical methods and was found to meet the stated specifications at the time of analysis.

SAMPLE INFORMATION

Product	Melanotan II	Form	Lyophilized
Batch	FS-MT2-10-0926	Labeled Qty	10MG
Mol. Formula	C50H69N15O9	CAS Number	121062-08-6
Cap Color	Black	Crimp Color	Silver
Appearance	White Powder		

TEST RESULTS

	REFERENCE STANDARD	RESULT	
Identity Confirmation (LC-MS)	Melanotan II	Melanotan II	✓
Batch Avg Purity (HPLC)	(>98%)	99.26	✓
Net Peptide Content	10MG ± 10%	10.42	✓


HEAVY METAL SCREENING

No data.

BATCH CONFORMITY RESULTS

No data.

HPLC CHROMATOGRAM



SAMPLE PHOTOS



AS RECEIVED

RECONSTITUTED (BACT. WATER) — CLARITY
CHECK

Dr. R. Caldwell

ANALYST
ID: AN-3271

Dr. P. Andersen

QC REVIEWER
ID: QR-5418

Dr. H. Whitman

QA DIRECTOR
ID: QA-1090



sterigenixanalytical.com/verify

Report#: RPT-2026-170171
Access Code: SGX-FS-2026-0810-D98

